

MAGNETIC ATTRACTION

The
Food



Beverage
Industry's
Pull to
Magmeters

By Jesse Yoder

A recent survey reviews this industry's installed base of flowmeters, the types of fluids measured, and other select issues relating to flow measurement





Figure 1
Installed base of flowmeters
in terms of units: food and
beverage industry

According to a survey of 299 flowmeter users by Flow Research and Ducker Worldwide, magnetic-type flowmeters account for 43 percent of total flowmeters used in the food and beverage industry in terms of units (see Figure 1, above). This percentage of use is by far greater than that of any other type of flowmeter. Differential pressure and turbine flowmeters constitute a distant second and third in terms of installed base (10.5 percent and 9.7 percent, respectively).

Figure 2
Fluids measured
by flowmeters in the
food and beverage
industry



Flowmeter Applications	Survey Respondents Using Application (Percent) Total = 299
Water – measurement/flow	30.80
Liquids – measure flow	12.80
Monitor waste water/liquid	7.70
Production of beer	7.70
Measure cooking oil	7.70
Measure edible fats/oil	7.70
Measure flow of fruit juice/Control and regulate flow of juice	5.10
Sugar – measure and control flow of sugar solution	5.10
Measure volume of milk	5.10
Measure speed when beer is being bottled	5.10
Process control/Flow process	2.60
Natural gas – measure	2.60
Steam – monitor flow	2.60
Gas – monitor flow	2.60
Batch purposes/Batch control	2.60
Measure flow of ingredients when making a paste	2.60
Measure volume of cleaning fluid	2.60
Control pasteurization flow	2.60
Control volume	2.60
Conditioning juice	2.60
On decarbonization filters	2.60
Measure cod liver oil	2.60
Measure quantity	2.60
Measure beverage	2.60
Measure speed of truck cleansing	2.60
Iced water placement in truck	2.60
Remove and peel off certain substances	2.60
Measure wine	2.60
Beer placement in truck for transportation	2.60
Spirit transfer	2.60
Measure power supply	2.60
Note: total of percentages are greater than 100 percent due to possible multiple responses in survey.	

Figure 3
Flowmeter application usage in the food and beverage industry

Magnetic Flowmeter Popularity

Magnetic flowmeters are popular in the food and beverage industry because they are nonintrusive, thereby interfering very little with the liquid being measured. While Coriolis meters are also used, those designed around curved tubes may have cleaning issues. Magnetic flowmeters,

which keep the flow in a straight line, can be readily cleaned with procedures known as clean-in-place (CIP) and steam-in-place (SIP). With these procedures, the flowmeters are flushed with very hot water or steam for several minutes until clean.

Magnetic flowmeters are also widely used in the food and beverage

FLUXUS[®] ADM
... THE NAME
IN ULTRASONIC
FLOW MEASUREMENT

**NOW
IN AMERICA!**




FLEXIM
Instruments

5927 Taft Avenue
Oakland CA 94618 USA

Tel.: 510 420 6995
Fax 510 428 0115
www.flexim.com

Circle 25 or Request Info Instantly at
www.flowcontrolnetwork.com

Figure 4
What degree of accuracy do you require in your flowmeters?



industry because they have a number of different linings suitable for sanitary applications. Lining options often represent a significant consideration when purchasing flowmeters. Types of liners include hard and soft rubber, polyurethane, Teflon, PFA, and ceramic. Liners are selected based on a number of factors including cost, temperature and pressure range of the

liquid, and the caustic nature of the liquid. For example, PFA and Teflon are quite tolerant of high temperatures, while polyurethane performs better at lower temperatures.

Fluid Measurement Requirements


Popularity of magnetic flowmeters is also attributed to the fact liquids

constitute the largest percentage of fluids measured in the food and beverage industry. Figure 2 (see page 36) illustrates how end users responded when asked what type of fluid their flowmeters are measuring. Almost 95 percent of fluids measured by flowmeter are either water or other type of liquid. Gas and steam flow measurement accounts for the

B I F[®]

*Sealed Metering Technology
 340W Isolated Probe System*

For over 30 years, BIF has been providing the latest solids bearing fluids metering technology, supplying the most economic, viable solution utilizing leading technologies in meeting your needs. The 340W IPS spells the end to deposits, fouled pressure lines and air entrapment that hinder highly accurate flow measurement available from our Universal Venturi Tube™.



The 340W IPS is easily installed, calibrated and verified in the field with simple and accurate manometry.

It can be installed on your existing SBF units. Even venturis not originally supplied by BIF can be retrofitted.

Attention

SBF and SBF-II Systems can easily migrate to the 340W IPS

**Combining Innovation, Expertise and Integrity
 in Meeting Today's Flow Measurement Requirements**

30685 Solon Industrial Parkway
 Unit F - Solon, OH 44139-4388
 Phone 440-519-BIF1 (2431) / Fax 440-519-BIF2 (2432)
www.bifwater.com

Circle 28 or Request Info Instantly at www.flowcontrolnetwork.com

Blancett

**FLUID FLOW METERS & MONITORS.
 ACCURATE. DURABLE.
 ECONOMICAL.**

Meter sizes from 3/8" to 10" with flow ranges from 0.3 to 5,000 gpm (10 to 172,000 bpd).



Microprocessor based monitor with easy front panel programming.

- ▶ User friendly turbine flow meters
- ▶ Easiest flow monitors to program in the business
- ▶ Performance equal to or better than the competition
- ▶ Costs less than what you are accustomed to paying
- ▶ Ships faster than all others on the market
- ▶ All products and parts are made in the USA

Blancett Fluid Flow Meters
 Fort Worth, Texas
www.blancett.com

CALL TOLL-FREE 800.235.1638

Circle 30 or Request Info Instantly at www.flowcontrolnetwork.com

remaining proportion, according to survey results.

When evaluating application suitability, magnetic flowmeters are uniquely qualified with regard to liquid measurement requirements. Due to conductivity limitations, magnetic flowmeters are unable to measure steam and gas flow. And, by selecting the most appropriate liner, this type of flowmeter can manage a variety of temperatures, pressures, and caustic materials. Magnetic flowmeters are also able to measure liquid flows with a high degree of accuracy, often in the range of ± 0.5 percent.

Flowmeter Applications

Figure 3 (page 37) delineates common flowmeter application usage in the food and beverage industry according to survey results. In addition to measuring unspecified types

of liquids, flowmeters are also used to measure a variety of liquids such as milk, beer, cooking oil, and edible fats. These measurements are made possible by a variety of flowmeter types that take into consideration factors such as liquid viscosity, for example.

Accuracy Considerations

Flowmeter accuracy requirements

rate high in level of importance among end users surveyed (see Figure 4, page 38). The majority of respondents (80%) define accuracy level needs of at least ± 1 percent. Some flowmeters are used in custody transfer and billing applications. Others are used for measuring internal transfers of fluids. These results are consistent with data from other




Figure 5
Would you pay more for a higher degree of flowmeter accuracy?

A P R O V E N

Low DP Indicator For Flow, Balancing or Filter Monitoring

Model 130

- 0-5" H₂O to 0-400" H₂O DP
- Working Pressure to 500 PSI
- Over-range Protection
- Housings in Engineered Plastic, Aluminum, Brass, 316 S/S, or Hastelloy
- Elastomers Available for a Variety of Media

5 YEAR WARRANTY

TOLL FREE 1-800-648-5778

Mid-West Instrument
"Best Value in A.P. Instrumentation"

SEND FOR YOUR Gauge Information

6500 Doby Dr., Sterling Heights, WI, USA, 48314
Tel: 586-254-6500 • Fax: 586-254-6509
Web Site: www.midwestinstrument.com
E Mail: sales@midwestinstrument.com

Made in the USA

Circle 27 or Request Info Instantly at www.flowcontrolnetwork.com

YOUR SINGLE SOURCE FOR FLOW METERS, MONITORS AND CONTROLLERS.

Nobody provides a wider range of simple, accurate, cost-effective ways to measure, monitor and control flow. With accuracy to ± 0.25 %, flow rates from 1cc/min to 5000 gal/min, at pressures up to 9,000 psi and viscosities to 1,000,000 cP, AW Company is your one-stop supplier. Visit our web site for our complete line of products or call us for more information.

Phone: (262) 884-9800
Fax: (262) 884-9810
aw@awcompany.com
8809 Industrial Drive
Franksville, WI, 53126-9337
www.awcompany.com

AW COMPANY

Circle 33 or Request Info Instantly at www.flowcontrolnetwork.com

Rotameters

OUR FLOWMETER ADVANTAGES:



- Mount in any orientation
- Easy to read, familiar dial
- Measure dirty & opaque fluids
- Durability



Orange Research


www.orangeresearch.com
toll-free: 800 989-3657

Circle 47 or Request Info Instantly at www.flowcontrolnetwork.com

MAX Flow Meters

New Solutions from a Trusted Source

1,120 pulses
per cc output



High Resolution hydraulic
testing down to 1 cc/min

Meters with
internal
heat ports



Say "goodbye" to
cold spots in your
dispensing lines

MAX

- High Accuracy Measurement
- High & Changing Viscosities
- Wide Range Applications
- Intermittent Flow Rates
- Low Flow Rates

over 35 years of doing it right.

(707) 433-7281

www.maxmachinery.com

Circle 46 or Request Info Instantly at www.flowcontrolnetwork.com

process industries..

Balancing high accuracy requirements with cost is a challenge warranting careful consideration by users. Coriolis meters are highly accurate, but are also more expensive than most other meters on the market. When users were asked whether they would pay more for a higher degree of flowmeter accuracy, approximately one quarter affirmed. This is a compelling statistic worthy of further investigation as research and development efforts in the food and beverage industry may need to be revisited to better meet the needs of the market served. **FC**

Summary

The food and beverage industry is unique because of its high level of liquid measurement. For this and other reasons, magnetic flowmeters dominate the industry. There are numerous applications that focus on measuring particular types of liquids. Similar to process industries, there is a significant demand for high-level accuracy in the food and beverage industry. As indicated in recent survey data, approximately one in four flowmeter users would pay more for a higher degree of measurement accuracy.

About the Author

Dr. Jesse Yoder is president of Flow Research, which he founded in 1998. He has been a writer and analyst in process control since 1986. Dr. Yoder has written over 40 market studies and is currently completing a 12-volume series of studies on the worldwide flowmeter market. Included in this series is *The World Market for Flowmeters*, which includes all flow technologies. Flow Research (www.flowresearch.com) offers a quarterly update service called the Worldflow Monitoring Service. You can contact Dr. Yoder by phone at 781 245-3200 or by e-mail at jesse@flowresearch.com.